Shaw Floors

TILE AND STONE

MIRAGE 13X13

SA980



550 Refuge

For reference purposes only if printed or downloaded.

Shaw Floors | TILE AND STONE

MIRAGE 13X13

SA980

Style Number	SA980
Construction	Porcelain
Tile Type	Floor
Finish	Smooth
Tile Size	12.99" x 12.99" | 33 cm x 33 cm
Tile Shape	Square
Overall Thickness	0.28" | 7.1 mm
Edges	Pressed
Country Of Origin	Turkey
Residential Warranty	5 Years
Commercial Warranty	1 Year Limited
Maintenance	Maintenance Guidelines for Ceramic/Porcelain Flooring
Installation Area	Exteriors, Fireplace Surround, Floors, Shower Floors, Shower Walls, Walls
Retail Purchase UOM	Box

Technical

Wear Rating Group	4 (Commercial)
Breaking Strength	>= 350 lbf
Water Absorption %	≤ 0.50% (Impervious (Porcelain))
DCOF	*≥ 0.42
Shade & Texture Variation	V2 - Medium

A DCOF value of > 0.42 is the new standard for tiles specified for commercial application in standard A137.1-2012, Section 9.6. It replaces the SCOF value of > 0.60 referenced in ASTM C1028. For more information on the correlation between the two values and about the DCOF AcuTest visit the Tile Council of North America's website: www.tcnatile.com

Reference ANSI A137.1 section 6.2.2.10 Dynamic Coefficient of Friction for more information regarding product slip resistance and how site conditions and maintenance effect slip resistance.

MANUFACTURER'S WARNING (U):

- Tiles with DCOF AcuTest values less than 0.42 are not recommended for use in areas with wet or slippery conditions. If such tiles are used as a walking surface where water, ice, oil, grease and/or other substances are present, such a condition could cause a reduction in foot traction and become unexpectedly slippery resulting in a fall and personal injury. See ANSI standard A137.1 section 6.2.2.1.10.
- Water, oil, grease, etc. create slippery conditions. Floor applications with exposure to these conditions require extra caution in product selection. Not for use on ramps.
- Since there is a shade variation on all natural products, the tile and trim supplied for your particular installation may not match these samples. Final selection should be made from actual tiles and trim and not from tile and trim samples or color reproductions. Manufactured in accordance with ANSI A137.1 standards.
- Manufacturing Variance Statement. Specifications are subject to nominal manufacturing variance. Material supply and/or manufacturing processes may necessitate changes without notice.

All measurements are nominal. Due to the natural variation of tile, final selections should be based on actual product. For Shaw Industries Tile/Stone installation instructions and Care/Maintenance guidelines, please contact Shaw Info Center by email at infocenter@shawinc.com, or by phone at 800-441-7429

CERTIFIED PORCELAIN TILE 0.5% or less water absorption

For reference purposes only if printed or downloaded.

Shaw Floors | TILE AND STONE

MIRAGE 13X13

SA980

Colors




120 Retreat



250 Haven



501 Oasis



550 Refuge

All measurements are nominal. Due to the natural variation of tile, final selections should be based on actual product. For Shaw Industries Tile/Stone installation instructions and Care/Maintenance guidelines, please contact Shaw Info Center by email at infocenter@shawinc.com, or by phone at 800-441-7429

For reference purposes only if printed or downloaded.